



Material Safety Data Sheet

SECTION 1. IDENTIFICATION

Product Name: Vy-King 42 Insecticide/Nematicide
EPA Registration No.: 88058-6-84237
Recommended Use: Insecticide/Nematicide
Manufacturer: Solera ATO, LLC
12230 E Del Norte
Yuma, AZ 85367
Customer Service (928) 503-1518

FOR MEDICAL EMERGENCIES, CONTACT the National Poison Information Center 1-800-222-1222
FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

HAZARD CLASSIFICATION

Acute Oral Toxicity: Category 1; Acute dermal Toxicity: Category 2 Acute Inhalation Toxicity: Category 2;

SIGNAL WORD

Danger- Poison

HAZARD STATEMENTS

Fatal if swallowed. Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Do not breathe vapor. Harmful if absorbed through skin. Combustible. Do not use or store near heat or open flame. Keep container closed. Use with adequate ventilation. This pesticide is toxic to aquatic organisms (fish and invertebrates) and extremely toxic to birds and mammals.

PICTOGRAMS



PRECAUTIONARY STATEMENTS

DANGER-POISON! Fatal if swallowed. Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Do not breathe vapor. Harmful if absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.

DESCRIPTION OF HAZARDS NOT OTHERWISE CLASSIFIED

Residues of Vy-King 42 can seep or leach through soil and can contaminate ground water which may be used for drinking. Users are advised not to apply Vy-King 42 where the water table is close to the surface and where soils are very permeable, i.e. well-drained soils such as loamy sands. Local agricultural Agencies can provide information on the soil type in your area and the location of the ground water.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Wt</u>
Oxamyl: (Methyl N',N'-dimethyl-N-((methylcarbamoyl)oxy)-1-thioxamimidate]	23135-22-0	42%
Cyclohexanone	108-94-1	25 - 29 %
Other Ingredients		29 - 33 %

SECTION 4. FIRST AID MEASURES

Contains an N-methyl carbamate that inhibits cholinesterase.

IF SWALLOWED Call a poison control center or doctor immediately for treatment advice.
Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.
Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ATROPINE IS AN ANTIDOTE. SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If symptoms appear (see SYMPTOMS), get medical attention. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

SYMPTOMS

Oxamyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. For medical emergencies involving this product, call toll free 1-800-222-1222.

NOTE TO PHYSICIAN

Treatment: Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use 2-PAM for exposure to Vy-King 42 alone. However, for exposure to combinations of Vy-King 42 and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment. Do not use morphine. For medical emergencies involving this product, call toll-free 1-800-222-1222.

SECTION 5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING EQUIPMENT:

Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

FIRE AND EXPLOSION HAZARDS:

Vapors may form explosive mixtures with air. Heating can release vapors which can be ignited.

PPE FOR FIREFIGHTERS/FIRE FIGHTING INSTRUCTIONS:

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Evacuate personnel and keep upwind of fire. Shut off source of fuel, if possible and without risk. If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Burns with colorless flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.

EMERGENCY PROCEDURES

Prevent material from entering sewers, waterways, or low areas.

METHODS FOR CLEANING UP

Soak up with sawdust, sand, oil dry or other absorbent material.

CLEANUP PROCEDURES

Dispose of in an approved container. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum.

SECTION 7. HANDLING AND STORAGE

HANDLING PROCEDURES

Use appropriate personnel protective equipment and engineering controls in accordance with label directions. Keep away from heat and sources of ignition.

STORING PROCEDURES

Combustible. Keep away from heat and sources of ignition. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Keep tightly closed in a dry, cool and well ventilated place. Not for use or storage in or around the home. Keep out of the reach of children. Store at temperatures of 45°F or higher. Storage period : No applicable data available. Storage temperature : > 0 °C (> 32 °F)

WORK/HYGIENIC PROCEDURES

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Oxamyl

AEL * (DUPONT) 0.05 mg/m³ 8 & 12 hr. TWA

Cyclohexanone

Permissible exposure limit: (OSHA) 50 ppm 200 mg/m³ 8 hr.

TWA TLV (ACGIH) 20 ppm

TWA TLV (ACGIH) 50 ppm

STEL AEL * (DUPONT) 50 ppm 15 minute TWA, Skin

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

ENGINEERING CONTROLS

Human flaggers must be in enclosed cabs.

Pilots must use an enclosed cockpit in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Pilots must not assist in the mixing and loading operations. Mixers and loaders supporting use on cotton in California and Arizona must use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides f 40 CFR 170.240(d)(4)]. The system must be designed by the manufacturer to remove a liquid pesticide from its container and transfer it through connecting hoses, pipes, and/or couplings that are sufficiently tight to prevent dermal or inhalation exposure of any person to the pesticide concentrate, use dilution, or rinse solution and must be provided and have immediately available for use in an emergency, such as a broken package, spill, or equipment breakdown: coveralls, chemical-resistant footwear, and the type of respirator required for handlers on this labeling. In addition, handlers: may wear long-sleeved shirt and long pants, socks and shoes, chemical resistant gloves and a chemical resistant apron, instead of the PPE required for mixers and loaders on this label must wear protective eyewear if the system operates under pressure.

When handlers use closed systems, or enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

PERSONAL PROTECTIVE EQUIPMENT

Mixers, loaders, and applicators and other handlers must wear:

Coveralls over long-sleeved shirt and long pants.

Chemical-resistant gloves made of barrier laminate or butyl rubber ≥ 14 mils.

Chemical-resistant footwear plus socks.

Protective eyewear.

Chemical-resistant headgear for overhead exposure.

Chemical-resistant apron when cleaning equipment, mixing, or loading.

Wear a minimum of an elastomeric half face NIOSH approved respirator with organic vapor (OV) cartridges and a combination R or P filter (TC-84A); or a NIOSH approved gas mask with an OV canister (TC-14G); or a NIOSH approved powered air purifying respirator with (OV) cartridge and combination HE filter (TC-23C).

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	light blue or blue (5B 7/8)
Physical State:	liquid solution
Odor:	Not Characterized
pH:	2.95
Viscosity:	10.4661 cSt at 20°C and 4.9963 cSt at 40°C
Flash point:	52.6°C
Specific Gravity:	1.0899 (20°/20°).

SECTION 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY

Stable at normal temperatures and storage conditions.

REACTIVITY

No applicable data available.

OTHER

Possibility of hazardous reactions:	Polymerization will not occur.
Conditions to avoid :	No applicable data available.
Incompatible materials :	None reasonably foreseeable.
Hazardous decomposition products:	No applicable data available.

SECTION 11. TOXICOLOGICAL INFORMATION

VY-KING 42 INSECTICIDE/NEMATICIDE

acute oral (up/down procedure)	9.8 mg/kg
acute dermal	>500 mg/kg
acute inhalation	<0.05 mg/L
eye irritation	Tox Cat III
dermal irritation	Tox Cat IV
skin sensitization	not a sensitizer

Oxamyl

Repeated dose toxicity:

Oral – feed multiple species- 15 d LOAEL: 0.75 mg/kg
Reduced body weight gain, cholinesterase inhibition

Carcinogenicity:

Did not show carcinogenic effects in animal experiments. Not classifiable as a human carcinogen.

Mutagenicity:

Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity:

No toxicity to reproduction Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.

Teratogenicity:

Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Cyclohexanone

Repeated dose toxicity:

Ingestion Rat - 90 d NOAEL: 143 mg/kg
LOAEL: 407 mg/kg Method: OECD Test Guideline 408

No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Adverse body weight effects

Carcinogenicity:

Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.

Mutagenicity:

Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity:

No toxicity to reproduction Evidence suggests the substance is not a reproductive toxin in animals. No effects on or via lactation

Teratogenicity: Animal testing showed no developmental toxicity.

SECTION 12. ECOLOGICAL INFORMATION

This pesticide is toxic to aquatic organisms (fish and invertebrates) and extremely toxic to birds and mammals. Cover or disk spill areas. Birds and mammals in treated areas may be killed. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment waste waters.

This product can contaminate surface water through ground spray applications. Under some conditions, it may also have a high potential for runoff into surface water after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface water.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops or weeds if bees are visiting the treatment area.

AQUATIC TOXICITY

Oxamyl

96 h LC50	Oncorhynchus mykiss (rainbow trout)	3.16 mg/l
72 h ErC50	Pseudokirchneriella subcapitata (green algae)	2.61 mg/l
48 h EC50	Daphnia magna (Water flea)	0.319 mg/l
61 d Early Life-Stage	NOEC Oncorhynchus mykiss (rainbow trout)	0.77 mg/l
21 d flow-through test	NOEC Daphnia magna (Water flea)	0.0268 mg/l

Cyclohexanone

96 h LC50	Pimephales promelas (fathead minnow)	527 mg/l
72 h EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l
	Information given is based on data obtained from similar substances.	
72 h	NOEC Desmodesmus subspicatus (green algae)	> 100 mg/l
	Information given is based on data obtained from similar substances.	
48 h EC50	Daphnia magna (Water flea)	800 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Do not flush to surface water or sanitary sewer system.

DISPOSAL

Do not contaminate water, food or feed by storage. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Nonrefillable Rigid Plastic and Metal Containers

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. For plastic containers, offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn unless allowed by state and local ordinances. For metal containers, offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number:	2991
Proper shipping name:	Carbamate pesticides, liquid, toxic, flammable (Oxamyl, Cyclohexanone) {Marine Pollutant if by water or in bulk}
Class:	6.1 (3)
Packing group:	II
Labelling No.:	6.1 (3)
Reportable Quantity:	100 lbs Oxamyl

IATA_C

UN number 2991
Proper shipping name: Carbamate pesticide, liquid, toxic, flammable (Oxamyl, Cyclohexanone)
Class: 6.1 (3)
Packing group: II
Labelling No.: 6.1 (3)

IMDG

UN number: 2991
Proper shipping name: CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE (Oxamyl, Cyclohexanone)
Class: 6.1 (3)
Packing group: II
Labelling No.: 6.1 (3)
Marine pollutant: yes (Oxamyl)

SECTION 15. REGULATORY INFORMATION

SARA 313 Regulated Chemical(s):

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

PA Right to Know Regulated Chemical(s):

Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Cyclohexanone, Oxamyl

Title III hazard classification:

Acute Health Hazard: Yes
Chronic Health Hazard: No
Fire: Yes
Reactivity/Physical hazard: No
Pressure: No

CERCLA Reportable Quantity:

236 lbs
Based on the percentage composition of this chemical in the product.: Oxamyl

SARA Reportable Quantity:

236 lbs
Based on the percentage composition of this chemical in the product.: Oxamyl

California Prop. 65:

Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions.

Revision Date : 12-11-17