



RECKON™ 280SL Herbicide

for weed control in grass grown for seed production only

EPA Reg. No. 88685-2-84237

SLN No. OR-120017

FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON

This label and the federal label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions and precautions on this supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

THIS LABEL IS VALID UNTIL DECEMBER 31, 2027 OR UNTIL OTHERWISE AMENDED, WITHDRAWN, CANCELED OR SUSPENDED.

Solera ATO, LLC intends that pursuant to this FIFRA Section 24(c) label, this product (Reckon™ 280SL Herbicide) be distributed only to those end users who agree in advance to the following terms and conditions of Solera ATO, LLC relating to the use of Reckon™ 280SL Herbicide for this end use. Such terms and conditions include release from all liability and indemnification of Solera ATO, LLC by the user and/or grower for failure to perform and/or crop damage from the use of Reckon™ 280SL on grass grown for seed production only.

If the preceding terms and conditions are unacceptable, do not open the product. Return the unopened Reckon™ 280SL Herbicide immediately.

This product, when used on grass grown for seed production may lead to crop injury, loss or damage. Because of the risk of failure to perform or crop damage, all such use is at the user and/or grower's risk. Solera ATO, LLC recommends that the user and/or grower test this product in order to determine its suitability for such intended use. Solera ATO, LLC makes this product available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower outweigh the potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from Reckon™ 280SL Herbicide, the severity and type of weed infestation, the cost of alternative weed controls and other factors. Solera ATO, LLC will not be responsible for crop injury from tank mixtures of Reckon™ 280SL Herbicide with other herbicides or adjuvants to grasses grown for seed production.

RECKON™ 280SL Herbicide

ACTIVE INGREDIENT:

Glufosinate-ammonium (CAS No. 77182-82-2)..... 24.5%**

OTHER INGREDIENTS..... 75.5%

TOTAL 100.0%

**Equivalent to 2.34 pounds of active ingredient per U.S. gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FOR ADDITIONAL PRECAUTIONARY STATEMENTS: See Inside Booklet.
For MEDICAL and TRANSPORTATION emergencies call 1-800-334-7577

ENVIRONMENTAL HAZARDS

DO NOT apply directly to water or to areas where surface water is present. **DO NOT** apply to intertidal areas below the mean high water mark. **DO NOT** contaminate water by cleaning of equipment or disposal of equipment wash waters or rinsate.

This pesticide is toxic to vascular plants and must be used strictly in accordance with the drift and run-off precautions on this label in order to minimize off-site exposures.

Under some conditions, this product may have a potential to run-off to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no till, limited till and contour plowing; these methods also reduce pesticide run-off. Use of vegetation filter strips along rivers, creeks, streams, wetlands, etc. or on the downhill side of fields where run-off could occur to minimize water runoff is recommended.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product until you have read the entire label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses; and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry-interval (REI) of 12 hours with the following exceptions:

- REI for workers engaged in scouting activities in corn, canola, and soybeans is 4 days.
- The REI for workers to move irrigation piping is 7 days for all crops.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls worn over short-sleeved shirt and short pants; chemical resistant gloves such as barrier laminate, butyl rubber ≥14 mils, nitrile rubber ≥14 mils, neoprene rubber ≥14 mils, polyvinyl chloride (PVC) ≥14 mils, or Viton® ≥14 mils; chemical resistant footwear plus socks; protective eyewear (goggles, face shield or safety glasses).

GENERAL INFORMATION FOR WEED CONTROL IN GRASS GROWN FOR SEED PRODUCTION:

For use on grasses grown for seed production, such as perennial ryegrass, tall fescue and bentgrass.

Tolerance of grasses to Reckon™ 280SL Herbicide is species dependent. Species tolerance in descending order is: perennial ryegrass, tall fescue, bentgrass, fine fescue and Poa species. For example, perennial ryegrass tends to be more tolerant to Reckon™ 280SL Herbicide than a Poa species.

Direct shielded sprays are suggested in fine fescue species, orchardgrass and Poa species grown for seed production. Broadcast applications made after first node development can increase the potential for crop injury and yield loss.

DO NOT apply Reckon™ 280SL Herbicide when grass grown for seed production is stressed due to drought, heat, frost, flooding, poor fertility, diseases, insects or any other reason.

Stunting of grass grown for seed production may occur following application and, in some instances, seed yields may be adversely affected.

DO NOT broadcast apply Reckon™ 280SL Herbicide on fine fescue, orchardgrass or Poa species grown for seed.

WEEDS CONTROLLED OR SUPPRESSED

<u>Poa annua</u>	Manna Grass
<u>Poa trivialis</u>	<u>Bromus</u> species (suppression only)

TIMING OF APPLICATION

For best weed control and crop safety, apply when the grass seed crop is actively growing in the fall and/or spring to minimize potential for crop injury.

FALL APPLICATION

Broadcast Only:

For severe weed pressure in newly established grass seedling fields, applications may occur after the first tiller of the crop is established, but do not exceed the rate of 10 fluid ounces per acre. Do not make applications after December 1st in either seedling or established grass seed stands. Use a minimum of 20 gallons of water per acre at 30 – 40 psi.

If additional control is required in the spring, one spring broadcast application may also be made.

SPRING APPLICATION

Broadcast:

Apply Reckon™ 280SL Herbicide to actively growing grass seed fields in the 4 – 6 tiller growth stage at a rate of 16.5 – 20 fluid ounces per acre. Do not make applications after April 1st except when severe weed pressure necessitates control.

Hooded or Shielded Spray:

To avoid excessive crop phytotoxicity, use a hooded or shielded sprayer. Apply by directing spray between rows and using shielded directed sprayers to prevent spray contact with crop plants. Adjust shields to prevent spray from contacting the crop.

Apply 55 fluid ounces per acre with shielded directed spray when the weeds are less than 8 inches tall. Apply 82 fluid ounces per acre with shielded directed spray when the weeds are 8 inches or taller.

RESTRICTIONS TO THE DIRECTIONS FOR USE

1. **DO NOT** graze in treated areas for one year (365 days) following application.
2. If you make a hooded or shielded direct spray application, do not also make a broadcast application.
3. **DO NOT** make more than one hooded or shielded direct spray application per crop year.
4. **DO NOT** make more than 2 broadcast applications per crop year (one in the fall and one in the spring).
5. **DO NOT** apply this product aurally.
6. **DO NOT** apply this product through any type of irrigation system.
7. **DO NOT** allow product to drift from the intended field of grass grown for seed production. Drift control is the responsibility of the applicator. Refer to local and state laws, regulations and guidelines for proper application to avoid off-target movement.

The registrant is Orion GFS, LLC at 340 W. 32nd St, Yuma, AZ 85364 and the distributor is Solera ATO, LLC at P.O. Box 21720 Mesa, AZ 85270.